

<p align="center"><u>TELEPHONE RECORD OF COMMUNICATION (TCR)</u></p>	<p><input checked="" type="checkbox"/> Phone Call <input type="checkbox"/> Discussion</p> <p><input type="checkbox"/> Conference <input type="checkbox"/> Field Trip</p> <p><input type="checkbox"/> Other (specify) _____</p>	
	<p align="center">(Record of item checked above)</p>	
<p>To: File</p>	<p>From: Beth Koesterer</p>	<p>Date: 8/19/98</p>
<p>Subject: Schlegel Corp, 3200 Main St., Keokuk, IA IAD984589085</p>		
<p><u>Summary of Communication:</u></p> <p>In August 1998, a Letter of Warning (LOW) was sent to this facility for failure to submit the 1997 Hazardous Waste Biennial Report. I received a call from Mr. Houshang Golafshar of BTR Sealing System, 3200 Main St., Keokuk, IA. He received the LOW, as Schlegel Corp is no longer at that location. BTR now operates at this location. He said that BTR did submit the biennial report as required. I told Mr. Golafshar that I would have the files for both facilities pulled and check into the matter.</p> <p>As it turns out, another ID number was issued to BTR Sealing, instead of reassigning the ID number for the property that Schlegel was operating under. Perce Cox deactivated the number that Schlegel had operated under, and will have the facility files merged under the current number, which is BTR's ID number (IAD005136023). I told Mr. Golafshar to disregard the LOW and that I would put a note in the file to this effect.</p> <p>I will have the LOW entry in RCRIS for the Schlegel site deleted as well.</p>		
<p><u>Conclusions, Actions Taken or Required:</u></p>		
<p><u>Information Copies To:</u> Perce Cox, Pauline Sprague, Margaret Stockdale</p>		

